

# F08ATFP (PZUNGQR)

## NAG Parallel Library Routine Document

**Note:** before using this routine, please read the Users' Note for your implementation to check for implementation-dependent details. You are advised to enclose any calls to NAG Parallel Library routines between calls to Z01AAFP and Z01ABFP.

### 1 Description

This routine is intended to be used after a call to F08ASFP (PZGEQRF), which performs a  $QR$  factorization of an  $m$  by  $r$  complex matrix  $A_s$ . F08ASFP (PZGEQRF) represents the  $m$  by  $m$  unitary matrix  $Q$  as a product of elementary reflectors.

F08ATFP (PZUNGQR) may be used to generate  $Q$  explicitly as an  $m$  by  $m$  square matrix, or to form the  $n$  leading columns of  $Q$ , where  $n \leq m$ .

Alternatively, this routine may be called to compute the unitary matrix  $Q$  of the QR factorization of the  $k$  leading columns of the matrix  $A_s$  for  $k \leq r$ .

This routine returns the matrix  $Q$  in the array A which on entry must contain the details of the elementary reflectors computed by F08ASFP (PZGEQRF). The distribution of the matrix  $Q$  conforms to the details in the description array IDESCA.

### 2 Specification

```

SUBROUTINE F08ATFP(M, N, K, A, IA, JA, IDESCA, TAU, WORK, LWORK,
1              INFO)
ENTRY        PZUNGQR(M, N, K, A, IA, JA, IDESCA, TAU, WORK, LWORK,
1              INFO)
COMPLEX*16   A(*), TAU(*), WORK(*)
INTEGER      M, N, K, IA, JA, IDESCA(*), LWORK, INFO

```

The ENTRY statement enables the routine to be called by its ScaLAPACK name.

### 3 Usage

#### 3.1 Definitions

The following definitions are used in describing the data distribution within this document:

- $m_p$  – the number of rows in the Library Grid.
- $n_p$  – the number of columns in the Library Grid.
- $p_r$  – the row grid coordinate of the calling processor.
- $p_c$  – the column grid coordinate of the calling processor.
- $M_b^X$  – the blocking factor for the distribution of the rows of a matrix  $X$ .
- $N_b^X$  – the blocking factor for the distribution of the columns of a matrix  $X$ .
- $\text{numroc}(\alpha, b_\ell, q, s, k)$  – a function which gives the **number of rows or columns** of a distributed matrix owned by the processor with the row or column coordinate  $q$  ( $p_r$  or  $p_c$ ), where  $\alpha$  is the total number of rows or columns of the matrix,  $b_\ell$  is the blocking factor used ( $M_b^X$  or  $N_b^X$ ),  $s$  is the row or column coordinate of the processor that possesses the first row or column of the distributed matrix and  $k$  is either  $m_p$  or  $n_p$ . The Library provides the function Z01CAFP (NUMROC) for the evaluation of this function.
- $\text{indxg2p}(i_g, b_\ell, q, s, k)$  – a function which gives the processor row or column coordinate which possess the row or column index  $i_g$  of the distributed full matrix  $A$ . The arguments  $b_\ell, q, s$  and  $k$  have the same meaning as in the function numroc. The Library provides the function Z01CDFP (INDXG2P) for the evaluation of this function.

### 3.2 Global and Local Arguments

The following global **input** arguments must have the same value on entry to the routine on each processor and the global **output** arguments will have the same value on exit from the routine on each processor:

Global input arguments: M, N, K, IA, JA, IDESCA(1), IDESCA(3:8)

Global output arguments: INFO

The remaining arguments are local.

### 3.3 Distribution Strategy

On entry to this routine, the input values of M, A, IA, JA, IDESCA and TAU must be identical to the output values of the corresponding arguments on exit from the *QR* factorization routine F08ASFP (PZGEQRF).

In F08ASFP (PZGEQRF), the matrix  $Q$  is represented as a set of elementary reflectors but in F08ATFP (PZUNGQR), the matrix  $Q$  is explicitly computed. In both these routines, the details of  $Q$  are stored in the local arrays A but the minimal storage requirements (as specified by the second dimensions) of A on a particular processor are, in general, different. In particular, if  $r < n$  then F08ATFP (PZUNGQR) requires larger local arrays for A than in F08ASFP (PZGEQRF).

### 3.4 Related Routines

The Library provides many support routines for the generation, scattering/gathering and input/output of matrices/vectors in cyclic two-dimensional block form. The following routines may be used in conjunction with F08ATFP (PZUNGQR):

Complex matrix output: X04BSFP

Complex matrix gather: F01WGFP

## 4 Arguments

**1:** M — INTEGER *Global Input*

*On entry:*  $m$ , the number of rows of the matrix  $Q$ . This should be identical to the number of rows of the matrix  $A_s$  as previously supplied to the *QR* factorization routine F08ASFP (PZGEQRF).

*Constraint:*  $0 \leq M \leq \text{IDESCA}(3)$ .

**2:** N — INTEGER *Global Input*

*On entry:*  $n$ , the number of columns of the matrix  $Q$  that are required.

*Constraints:*  $0 \leq N \leq \text{IDESCA}(4)$ ;  $N \leq M$ .

**3:** K — INTEGER *Global Input*

*On entry:*  $k$ , the number of elementary reflectors whose product defines  $Q$ .

*Constraint:*  $0 \leq K \leq N$ .

**4:** A(\*) — COMPLEX\*16 array *Local Input/Local Output*

**Note:** array A is formally defined as a vector. However, you may find it more convenient to consider A as a two-dimensional array of dimension  $(\text{IDESCA}(9), \gamma)$ , where  $\gamma \geq \text{numroc}(\text{JA} + \text{N} - 1, \text{IDESCA}(6), p_c, \text{IDESCA}(8), n_p)$ .

*On entry:* details of the vectors which define the elementary reflectors as returned by F08ASFP (PZGEQRF).

*On exit:* the local parts of the first  $n$  columns of the  $m$  by  $m$  matrix  $Q$ . The distribution of the matrix  $Q$  is defined by the indices IA and JA and the description array IDESCA.

- 5:** IA — INTEGER *Global Input*  
*On entry:*  $i_A$ , the row index of matrix  $A$  that identifies the first row of  $Q$  to be generated. This must be identical to the value previously used in F08ASFP (PZGEQRF).  
*Constraint:*  $1 \leq IA \leq IDESCA(3) - M + 1$ .
- 6:** JA — INTEGER *Global Input*  
*On entry:*  $j_A$ , the column index of matrix  $A$  that identifies the first column of  $Q$  to be generated. This must be identical to the value previously used in F08ASFP (PZGEQRF).  
*Constraints:*  $1 \leq JA \leq IDESCA(4) - \max(N,K) + 1$ .
- 7:** IDESCA(\*) — INTEGER array *Local Input*  
**Note:** the dimension of the array IDESCA must be at least 9.  
*Distribution:* the array elements IDESCA(1) and IDESCA(3),...,IDESCA(8) must be global to the processor grid and the elements IDESCA(2) and IDESCA(9) are local to each processor.  
*On entry:* the description array for the matrix  $A$  as defined in the  $QR$  factorization routine F08ASFP (PZGEQRF). This array must contain details of the distribution of the matrix  $A$  and the logical processor grid.  
 IDESCA(1), the descriptor type. For this routine, which uses a cyclic two-dimensional block distribution, IDESCA(1) = 1;  
 IDESCA(2), the Library context, usually returned by a call to the Library Grid initialisation routine Z01AAFP;  
 IDESCA(3), the number of rows,  $m_A$ , of the matrix  $A$ ;  
 IDESCA(4), the number of columns,  $n_A$ , of the matrix  $A$ ;  
 IDESCA(5), the blocking factor,  $M_b^A$ , used to distribute the rows of the matrix  $A$ ;  
 IDESCA(6), the blocking factor,  $N_b^A$ , used to distribute the columns of the matrix  $A$ ;  
 IDESCA(7), the processor row index over which the first row of the matrix  $A$  is distributed;  
 IDESCA(8), the processor column index over which the first column of the matrix  $A$  is distributed;  
 IDESCA(9), the leading dimension of the conceptual two-dimensional array  $A$ .  
*Constraints:*  
 IDESCA(1) = 1;  
 IDESCA(3)  $\geq$  0; IDESCA(4)  $\geq$  0; IDESCA(5)  $\geq$  1; IDESCA(6)  $\geq$  1;  
 $0 \leq$  IDESCA(7)  $\leq$   $m_p - 1$ ;  $0 \leq$  IDESCA(8)  $\leq$   $n_p - 1$ ;  
 IDESCA(9)  $\geq$   $\max(1, \text{numroc}(\text{IDESCA}(3), \text{IDESCA}(5), p_r, \text{IDESCA}(7), m_p))$ .
- 8:** TAU(\*) — COMPLEX\*16 array *Local Input*  
**Note:** the dimension of the array TAU must be at least  $\alpha$ , where  $\alpha = \text{numroc}(JA+K-1, IDESCA(6), p_c, IDESCA(8), n_p)$ .  
*On entry:* details of the elementary reflectors, as returned by a call to F08ASFP (PZGEQRF).
- 9:** WORK(\*) — COMPLEX\*16 array *Local Workspace/Local Output*  
**Note:** the dimension of WORK must be at least  $\max(1, LWORK)$ . The minimum value of LWORK required to successfully call this routine can be obtained by setting LWORK = -1. The required size is returned in the real part of array element WORK(1).  
*On exit:* the real part of WORK(1) contains the minimum dimension of the array WORK required to successfully complete the task.

**10: LWORK — INTEGER***Local Input*

*On entry:* either  $-1$  (see WORK) or the dimension of the array WORK required to successfully complete the task. If LWORK is set to  $-1$  on entry this routine simply performs some initial error checking and then, if these checks are successful, calculates the minimum size of LWORK required.

*Constraints:*

either  $LWORK = -1$ ,  
 or  $LWORK \geq IDESCA(6) \times (c_1 + c_2 + IDESCA(6))$ , where

$$c_1 = \text{numroc}(M+d_1, IDESCA(5), p_r, e_1, m_p);$$

$$c_2 = \text{numroc}(N+d_2, IDESCA(6), p_c, e_2, n_p);$$

$$d_1 = \text{mod}(IA-1, IDESCA(5));$$

$$d_2 = \text{mod}(JA-1, IDESCA(6));$$

$$e_1 = \text{indxg2p}(IA, IDESCA(5), p_r, IDESCA(7), m_p);$$

$$e_2 = \text{indxg2p}(JA, IDESCA(6), p_c, IDESCA(8), n_p).$$
**11: INFO — INTEGER***Global Output*

The NAG Parallel Library provides a mechanism, via the routine Z02EAFP, to reduce the amount of parameter validation performed by this routine. For a full description refer to the Z02 Chapter Introduction.

*On exit:* INFO = 0 (or  $-9999$  if reduced error checking is enabled) unless the routine detects an error (see Section 5).

## 5 Errors and Warnings

If  $INFO < 0$  an explanatory message is output and control returned to the calling program.

INFO < 0

On entry, one of the arguments was invalid:

if the  $k$ th argument is a scalar  $INFO = -k$ ;  
 if the  $k$ th argument is an array and the  $j$ th element is invalid,  $INFO = -(100 \times k + j)$ .

This error occurred either because a global argument did not have the same value on all logical processors, or because its value on one or more processors was incorrect. An explanatory message distinguishes between these two cases.

## 6 Further Comments

Often  $Q$  is determined from the  $QR$  factorization of an  $m$  by  $r$  matrix  $A$  with  $m \geq r$ . The matrix  $Q$  may be computed by calling:

```
CALL F08ATFP (M,M,r,A,IA,JA,IDESCA,TAU,WORK,LWORK,INFO)
```

The leading  $r$  columns of  $Q$  may be obtained by:

```
CALL F08ATFP (M,r,r,A,IA,JA,IDESCA,TAU,WORK,LWORK,INFO)
```

The columns of  $Q$  returned by the last call form an orthonormal basis for the space spanned by the columns of  $A$ ; thus F08ASFP (PZGEQRF) followed by F08ATFP (PZUNGQR) can be used to orthogonalise the columns of  $A$ .

### 6.1 Algorithmic Detail

See Anderson *et al.* [1] and Blackford *et al.* [2] for details of the block method used by the routine.

## 6.2 Parallelism Detail

The Level-3 BLAS operations are carried out in parallel within the routine.

## 6.3 Accuracy

The computed matrix  $Q$  differs from an exactly unitary matrix by a matrix  $E$  such that

$$\|E\|_2 \leq \epsilon p(m, n),$$

where  $\epsilon$  is the *machine precision*,  $p(m, n)$  is a modest function of  $m$  and  $n$ .

## 7 References

- [1] Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia
- [2] Blackford L S, Choi J, Cleary A, D'Azevedo E, Demmel J, Dhillon I, Dongarra J, Hammarling S, Henry G, Petitet A, Stanley K, Walker D and Whaley R C (1997) *ScaLAPACK Users' Guide* SIAM 3600 University City Science Center, Philadelphia, PA 19104-2688, USA. URL: [http://www.netlib.org/scalapack/slug/scalapack\\_slug.html](http://www.netlib.org/scalapack/slug/scalapack_slug.html)
- [3] Golub G H and van Loan C F (1996) *Matrix Computations* Johns Hopkins University Press (3rd Edition), Baltimore

## 8 Example

To form the leading four columns of the unitary matrix  $Q$  from the  $QR$  factorization of the matrix  $A$ , where

$$A = \begin{pmatrix} 0.96 - 0.81i & -0.03 + 0.96i & -0.91 + 2.06i & -0.05 + 0.41i \\ -0.98 + 1.98i & -1.20 + 0.19i & -0.66 + 0.42i & -0.81 + 0.56i \\ 0.62 - 0.46i & 1.01 + 0.02i & 0.63 - 0.17i & -1.11 + 0.60i \\ -0.37 + 0.38i & 0.19 - 0.54i & -0.98 - 0.36i & 0.22 - 0.20i \\ 0.83 + 0.51i & 0.20 + 0.01i & -0.17 - 0.46i & 1.47 + 1.59i \\ 1.08 - 0.28i & 0.20 - 0.12i & -0.07 + 1.23i & 0.26 + 0.26i \end{pmatrix}$$

The columns of  $Q$  form an orthonormal basis for the space spanned by the columns of  $A$ . The example uses a 2 by 2 logical processor grid and a 2 by 2 block for  $A$ .

**Note:** the listing of the Example Program presented below does not give a full pathname for the data file being opened, but in general the user must give the full pathname in this and any other OPEN statement.

### 8.1 Example Text

```
*      F08ATFP Example Program Text
*      NAG Parallel Library Release 3 Revised. NAG Copyright 1999.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5, NOUT=6)
      INTEGER          DT
      PARAMETER        (DT=1)
      INTEGER          MB, NB, LWORK
      PARAMETER        (MB=2, NB=MB, LWORK=100)
      INTEGER          MMAX, NMAX, LDA, IAROW, IACOL
      PARAMETER        (MMAX=6, NMAX=4, LDA=MMAX, IAROW=0, IACOL=0)
*      .. Local Scalars ..
      INTEGER          I, IA, ICNTXT, IFAIL, INFO, J, JA, M, MP, N, NP
      LOGICAL          ROOT
*      .. Local Arrays ..
```

```

COMPLEX*16      A(LDA,NMAX), Q(MMAX,MMAX), TAU(MMAX), WORK(LWORK)
INTEGER         IDESCA(9)
*
.. External Functions ..
LOGICAL         Z01ACFP
EXTERNAL        Z01ACFP
*
.. External Subroutines ..
EXTERNAL        F01WGFP, F08ASFP, F08ATFP, X04BRFP, Z01AAFP,
+              Z01ABFP
*
.. Executable Statements ..
ROOT = Z01ACFP()
IF (ROOT) THEN
    WRITE (NOUT,*) 'F08ATFP Example Program Results'
    WRITE (NOUT,*)
END IF
*
MP = 2
NP = 2
IFAIL = 0
CALL Z01AAFP(ICNTXT,MP,NP,IFAIL)
*
OPEN (NIN,FILE='f08atfpe.d')
*
Skip heading in data file
*
READ (NIN,*)
READ (NIN,*) M, N
*
IF (M.LE.MMAX .AND. N.LE.NMAX) THEN
*
    Set the starting address and array descriptor for A
*
    IA = 1
    JA = 1
    IDESCA(1) = DT
    IDESCA(2) = ICNTXT
    IDESCA(3) = M
    IDESCA(4) = N
    IDESCA(5) = MB
    IDESCA(6) = NB
    IDESCA(7) = IAROW
    IDESCA(8) = IACOL
    IDESCA(9) = LDA
*
    Read the matrix A from data file
*
    IFAIL = 0
    CALL X04BRFP(NIN,M,N,A,IA,JA,IDESCA,IFAIL)
*
    Factorize A
*
    CALL F08ASFP(M,N,A,IA,JA,IDESCA,TAU,WORK,LWORK,INFO)
*
    IF (ROOT) THEN
        WRITE (NOUT,*) 'F08ASFP INFO = ', INFO
        WRITE (NOUT,*)
    END IF
    IF (INFO.NE.0) GO TO 40
*

```

```

*       Generate Q
*
      CALL F08ATFP(M,N,N,A,IA,JA,IDESCA,TAU,WORK,LWORK,INFO)
*
      IF (ROOT) THEN
        WRITE (NOUT,*) 'F08ATFP INFO = ', INFO
        WRITE (NOUT,*)
      END IF
      IF (INFO.NE.0) GO TO 40
*
*       Gather the matrix Q to the (root) processor (0,0)
*
      IFAIL = 0
      CALL F01WGFP(M,N,A,IA,JA,IDESCA,0,0,Q,MMAX,WORK,LWORK,IFAIL)
*
*       Print the first N columns of the matrix Q
*
      IF (ROOT) THEN
        WRITE (NOUT,*) 'The first N columns of Q'
        WRITE (NOUT,*)
        DO 20 I = 1, M
          WRITE (NOUT,'(1X,4(''('',F8.4,'',',',F8.4,'')'',1X))')
+         (Q(I,J),J=1,N)
20      CONTINUE
      END IF
*
      END IF
*
40 CONTINUE
      CLOSE (NIN)
*
      IFAIL = 0
      CALL Z01ABFP(ICNTXT,'N',IFAIL)
*
      STOP
*
      END

```

## 8.2 Example Data

F08ATFP Example Program Data

```

6 4                                     :Values of M and N
( 0.96,-0.81) (-0.03, 0.96) (-0.91, 2.06) (-0.05, 0.41)
(-0.98, 1.98) (-1.20, 0.19) (-0.66, 0.42) (-0.81, 0.56)
( 0.62,-0.46) ( 1.01, 0.02) ( 0.63,-0.17) (-1.11, 0.60)
(-0.37, 0.38) ( 0.19,-0.54) (-0.98,-0.36) ( 0.22,-0.20)
( 0.83, 0.51) ( 0.20, 0.01) (-0.17,-0.46) ( 1.47, 1.59)
( 1.08,-0.28) ( 0.20,-0.12) (-0.07, 1.23) ( 0.26, 0.26) :End of matrix A

```

### 8.3 Example Results

F08ATFP Example Program Results

F08ASFP INFO = 0

F08ATFP INFO = 0

The first N columns of Q

```
( -0.3110,  0.2624) ( -0.3175,  0.4835) (  0.4966, -0.2997) ( -0.0072, -0.3718)
(  0.3175, -0.6414) ( -0.2062,  0.1577) ( -0.0793, -0.3094) ( -0.0282, -0.1491)
( -0.2008,  0.1490) (  0.4892, -0.0900) (  0.0357, -0.0219) (  0.5625, -0.0710)
(  0.1199, -0.1231) (  0.2566, -0.3055) (  0.4489, -0.2141) ( -0.1651,  0.1800)
( -0.2689, -0.1652) (  0.1697, -0.2491) ( -0.0496,  0.1158) ( -0.4885, -0.4540)
( -0.3499,  0.0907) ( -0.0491, -0.3133) ( -0.1256, -0.5300) (  0.1039,  0.0450)
```

---